





1. (original): A process for dyeing cellulosic fibre materials, wherein the fibre material is brought into contact with at least two dyes from the group of formulae



(1),




(3) and



(4),

wherein

A is hydrogen or a radical of formula



(5),

R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub> and R<sub>4</sub> are each independently of the others halogen, C<sub>1</sub>-C<sub>4</sub>alkyl or C<sub>1</sub>-C<sub>4</sub>alkoxy,  
R<sub>5</sub> is halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, nitro, benzoylamino which is unsubstituted or substituted in the phenyl ring, or unsubstituted or substituted amino,

n, m, r and s are each independently of the others the number 0, 1 or 2, and

p is the number 0, 1, 2, 3 or 4.

2. (currently amended): A process according to claim 1, wherein

R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub> and R<sub>5</sub> are each independently of the others halogen or C<sub>1</sub>-C<sub>4</sub>alkyl, especially chlorine or methyl.

3. (currently amended): A process according to either claim 1 or claim 2, wherein

n, m, r and s are each independently of the others 0 or 1.

4. (currently amended): A process according to ~~any one of claims 1 to 3~~ claim 1, wherein p is the number 0, 1 or 2; especially 0 or 1.

5. (currently amended): A process according to ~~any one of claims 1 to 4~~ claim 1, wherein dyeing is carried out at a pH of from 10.2 to 11.8.


6. (currently amended): A process according to ~~any one of claims 1 to 5~~ claim 1, wherein dyeing is carried out at a pH of from 10.8 to 11.6.

7. (currently amended): A process according to ~~any one of claims 1 to 6~~ claim 1, wherein the dyes are applied by the pad-dyeing method.


8. (currently amended): A process according to ~~any one of claims 1 to 7~~ claim 1, wherein the dyeing process is carried out continuously in a plurality of passes.

9. (currently amended): A process according to ~~any one of claims 1 to 8~~ claim 1, wherein the dyeing process is carried out on a hank dyeing machine or an open-width dyeing machine.


10. (original): A dye mixture comprising at least two dyes from the group of formulae




(1),



(2),




(3) and



(4),

wherein

A is hydrogen or a radical of formula



(5),

R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub> and R<sub>4</sub> are each independently of the others halogen, C<sub>1</sub>-C<sub>4</sub>alkyl or C<sub>1</sub>-C<sub>4</sub>alkoxy,  
R<sub>5</sub> is halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, nitro, benzoylamino which is unsubstituted or substituted in the  
phenyl ring, or unsubstituted or substituted amino,  
n, m, r and s are each independently of the others the number 0, 1 or 2, and  
p is the number 0, 1, 2, 3 or 4.

11. (new): A process according to claim 1, wherein

R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub> and R<sub>5</sub> are each independently of the others chlorine or methyl.